

Technical Data Sheet

Leunapon-F 10/11/E

General product information

Product name	Leunapon-F 10/11/E
Chemical name	Alcohols C9-11-iso-, C10-rich, ethoxylated
CAS number	78330-20-8
EINECS number	Polymer
EU-Registration number	As a polymer the product is excluded from the registration and evaluation under REACH (Regulation (EC) No. 1907/2006).
Customs tariff number	3402 42 00

Specifications (parameters quoted on CoA)

Characteristics	Unit	Target value	Applied method
Cloud point (1 g + 100 g NaCl)	°C	61 – 65	DIN EN 1890
Water	%	≤ 0,2	DIN 51 777
pH value (5 % sol.)		5 – 8	DIN EN 1262
Hazen color		≤ 100	DIN EN ISO 6271

Additional information

Appearance at 50 °C	liquid, clear
Active content	≥ 99,8 %
HLB (calculated)	15,1
Freezing point	approx. 21 °C (acc. DIN ISO 3016)
Flash point	> 200 °C
Kinematic viscosity at 50 °C	approx. 29 mm ² /s (acc. DIN 51562)
Density at 50 °C	approx. 1,01 g/cm ³ (acc. DIN 51 757)

The information provided in this document is based on the best of our knowledge and experience. It is intended as a general description of our product specifications and shall not constitute a guarantee or agreement regarding the quality of the specified products, respectively. The customer remains responsible for the inspection and testing of the specified products, as well as any supplementary information and documents provided alongside with the specified products, in particular the material safety data sheets, in order to determine their suitability for their particular application.



Vantage Leuna GmbH
Am Haupttor, Gebäude 7302
06237 Leuna, Deutschland

Technical Data Sheet

Leunapon-F 10/11/E

Storage and Handling

Store in dry and cool conditions and protect the product from heat and direct sunlight. Avoid the build-up of electrostatic charge. Keep container tightly closed. Prior taking portions all the lot must be homogenised.

In enclosed original packaging product keeps stable for at least 2 years.

Please refer to the Safety Data Sheet (SDS) for this product for instructions on safe and proper handling and disposal.

Packaging

Bulk	5 – 23 t
IBC	850 kg
steel-drum	180 kg

	Laboratory	Production	Product Management
Date			
Signed by	Schmidt	Rockendorf	Kielas
Version	03/24 (replaces 07/08)		