

Technical Data Sheet

Leunapon-P 1618/5

General product information

Product name	Leunapon-P 1618/5
Chemical name	Amines, tallow alkyl, ethoxylated
CAS number	61791-26-2
EINECS number	Polymer
EU-Registration number	As a polymer the product is excluded from the registration and evaluation under REACH (Regulation (EC) No. 1907/2006).
Customs tariff number	3402 42 00

Specifications (parameters quoted on CoA)

Characteristics	Unit	Target value	Applied method
Amine value	mg KOH/g	124 – 130	LT-N10
Water	%	≤ 0,5	DIN 51 777
pH value (1 % sol.)		≤ 11	DIN EN 1262

Additional information

Appearance at 25 °C	liquid, brown
Active content	≥ 99,5 %
HLB (calculated)	9,0

The information provided in this document is based on the best of our knowledge and experience. It is intended as a general description of our product specifications and shall not constitute a guarantee or agreement regarding the quality of the specified products, respectively. The customer remains responsible for the inspection and testing of the specified products, as well as any supplementary information and documents provided alongside with the specified products, in particular the material safety data sheets, in order to determine their suitability for their particular application.

Technical Data Sheet

Leunapon-P 1618/5

Storage and Handling

Open and handle receptacle with care. Prevent formation of aerosols and ensure good ventilation / exhaustion at the workplace. Avoid transfer into the environment. During spraying wear suitable respiratory equipment. Wear respiratory equipment when transferring large quantities without vapour extraction. Use breathing protection in case of insufficient ventilation. Store away from foodstuffs. Keep the packaging tightly sealed and store the product in cool and dry conditions. Protect from heat and direct sunlight. In enclosed original container product keeps stabile for at least 2 years. Prior taking portions all the lot must be homogenised. Please refer to the Safety Data Sheet (SDS) for this product for instructions on safe and proper handling and disposal.

Packaging

Bulk	5 – 24 t
IBC	900 kg
steel-drum	190 kg

	Laboratory	Production	Product Management
Date			
Signed by	Schmidt	Rockendorf	Kielas
Version	05/24 (replaces 05/17)		